



DNV

TECHNICAL REPORT

BONDSHIP GUIDELINES: RECOMMENDED PRACTICES

REPORT No. 2004-0193

REVISION No. 2

DET NORSKE VERITAS



<i>Table of Content</i>	<i>Page</i>
1 INTRODUCTION	1
1.1 Background	1
1.2 Objective	1
1.3 Scope	1
1.4 Link to code document	3
1.5 Definitions	3
1.6 How to use this document	3
1.7 References	3
2 SPECIFICATION OF BONDED JOINTS	4
2.1 Introduction	4
2.2 Application example: Specification of “external casings”	6
2.3 References	6
3 MATERIAL SELECTION	9
3.1 Introduction	9
3.2 Selection of suitable materials for screening tests	9
3.3 Selection of test methods	9
3.3.1 Introduction	9
3.3.2 Measurement of T _g	10
3.3.3 Measurement of pH value	10
3.3.4 Lap shear test - strength	10
3.3.5 Lap-shear test - strain to failure	10
3.3.6 Boeing wedge test	10
3.3.7 Measurement of electrical resistance	10
3.3.8 Bead test	10
3.4 Criteria for selection of suitable candidate systems	11
3.5 Application example: Screening tests for material selection	11
3.5.1 Introduction	11
3.5.2 Rigid adhesives	12
3.5.2.1 Introduction	12
3.5.2.2 Notes on lap shear test	12
3.5.2.3 Notes on the Boeing wedge test	12
3.5.3 Flexible adhesives	13
3.5.3.1 Introduction	13
3.5.3.2 Remarks on bead peel test	13
3.5.3.3 Remarks on pH measurements	13
3.5.3.4 Remarks on electrical resistance	14
3.5.3.5 Remarks on lap shear - strain to failure	14
3.5.4 Selection of adhesives	15



 TECHNICAL REPORT

3.5.4.1	Introduction	15
3.5.4.2	Rigid adhesives	15
3.5.4.3	Flexible adhesives	15
3.5.4.4	Selected adhesives	16
3.5.5	Design values	16
3.5.6	Conclusions	16
3.6	References	17
4	FAILURE CRITERIA AND CHARACTERISTIC STRENGTH VALUES.....	18
4.1	Introduction	18
4.2	Fracture due to a single extreme load	18
4.3	Creep rupture due to sustained static loading	20
4.4	Fatigue fracture due to cyclic loading	20
4.5	Application of limit states to bonded joints with rigid and flexible adhesives	21
4.6	Knock-down factors	21
4.7	References	22
5	DESIGN AND ANALYSIS OF BONDED JOINTS	23
5.1	Introduction to design of bonded joints	23
5.1.1	General aspects	23
5.1.2	Examples on joint configurations	24
5.1.3	General rules for methodical and geometrical design of adhesive joints	29
5.1.4	Main types of adhesive materials	32
5.1.4.1	Flexible adhesives	32
5.1.4.2	Rigid adhesives	33
5.1.5	Example of joint analysis using the method by Bigwood and Crocombe	33
5.2	Joint requirements	37
5.3	General design procedure for adhesive joints	37
5.4	Design of flexible adhesive joints	38
5.4.1	Pre-design - possible joint configurations and overlap length (phase 1)	38
5.4.2	Evaluation of the stresses and strains in the assembly (phase 2)	39
5.4.3	Application of failure criteria (phase 3)	41
5.4.3.1	Determination of strength limits and maximum stresses and strains	41
5.4.4	Design procedures for flexible adhesive joints in ships	44
5.5	Design of rigid adhesive joints	45
5.5.1	Pre-design - possible joint configurations and overlap length (phase 1)	45
5.5.2	Evaluation of the Stresses in the Assembly (phase 2)	47
5.5.3	Application of failure criteria (phase 3)	49
5.5.3.1	Failure criteria for the adherends	49
5.5.3.2	Failure criteria for the adhesive layer	49
5.5.3.3	Determination of strength limits and maximum stresses	50
5.5.4	Design procedures for rigid adhesive joints in ships	52
5.5.4.1	Design method of Brede	52
5.5.4.2	Design method based on non-linear finite element analysis.	54



TECHNICAL REPORT

5.6	Application example: Optimisation of attachments below decks	55
5.7	References	62
6	TESTING OF MATERIALS AND STRUCTURES.....	63
6.1	Introduction	63
6.2	Materials characterisation tests	63
6.2.1	Thick adherend shear test (TAST)	63
6.2.2	Simple shear strength test	64
6.2.2.1	Introduction	64
6.2.2.2	Equipment	65
6.2.2.3	Samples	65
6.2.2.4	Definitions	66
6.2.2.5	Simplified method to measure strength for different adhesive systems	67
6.2.3	True stress / true strain behaviour, E-Modulus, Poisson's ratio	67
6.2.3.1	Introduction	67
6.2.3.2	Samples	67
6.2.3.3	Test procedure	68
6.2.3.4	Definitions	68
6.2.4	Compression Tests – Rhagava equivalent stress	69
6.2.4.1	Introduction	69
6.2.4.2	Samples and Testing	69
6.2.4.3	Definitions	70
6.2.5	Creep strength	71
6.2.5.1	Introduction	71
6.2.5.2	Requirements	71
6.2.5.3	Surfaces and samples	72
6.2.5.4	Testing	72
6.2.5.5	Stress rupture strength	73
6.3	Testing of full scale joint samples representative of real Application Cases	73
6.3.1	Introduction	73
6.3.2	General recommendations	73
6.3.3	Example 1: Bonded pillar	74
6.3.4	Example 2: Bonded joint in steel sandwich panels	74
6.4	Environmental degradation – ageing and fatigue	75
6.4.1	Introduction	75
6.4.2	Major assumptions	76
6.4.3	Environmental factors	76
6.4.4	Representative testing	77
6.5	References	77
7	FIRE SAFETY.....	78
7.1	Introduction	78
7.2	Governing documents and general requirements	78
7.3	Fire engineering terms	79
7.3.1	Fire reaction	79



 TECHNICAL REPORT

7.3.2	Fire resistance	79
7.4	SOLAS requirements	79
7.4.1	General	79
7.4.2	Fire reaction requirements	80
7.4.3	Fire resistance requirements	81
7.4.3.1	General	81
7.4.3.2	“A” class divisions	81
7.4.3.3	“B” class divisions	82
7.4.4	Areas of fire resisting divisions	82
7.5	HSC-code requirements	82
7.5.1	Fire reaction requirement, and discussion	82
7.5.2	Fire resistance requirement	83
7.5.2.1	General	83
7.5.2.2	60 and 30 min fire resisting divisions	83
7.5.2.3	Areas of fire resisting divisions	84
7.6	Fire testing	84
7.6.1	Description of furnace	84
7.6.2	Description of loading arrangement	86
7.6.3	Test specimens and fire protection	86
7.7	Application example: aluminium casing bonded to steel deck	87
7.7.1	General	87
7.7.2	Description of fire test specimens	87
7.7.2.1	Materials used for test specimens	88
7.7.2.2	Loading and boundary conditions	89
7.7.2.3	Fire protection, panel -I	89
7.7.2.4	Fire protection, panel-II	90
7.7.3	Test results panel-I	90
7.7.3.1	Observation during test	90
7.7.3.2	Observations after test	90
7.7.3.3	Temperature measurement	91
7.7.3.4	Comments and discussion to the temperature registrations and results:	92
7.7.4	Test results panel-II	93
7.7.4.1	Observation during test	93
7.7.4.2	Observations after test	93
7.7.4.3	Temperature measurement	93
7.7.4.4	Comments and discussion to the temperature registrations and results:	94
7.7.5	Conclusions application example	95
7.8	Overall conclusions from BONDSHIP fire tests	95
7.8.1	Classification and testing of adhesive joints	95
7.8.2	Joint design	96
7.9	References	96
8	PRODUCTION OF BONDED JOINTS.....	97
8.1	Production procedures	97
8.1.1	Joint specification	97



 TECHNICAL REPORT

8.1.2	Receipt and storage of materials	97
8.1.2.1	Receipt and handling of materials and consumables	97
8.1.2.2	Storage condition of materials	97
8.1.3	Bonding operation	98
8.1.3.1	Working environment and handling	98
8.1.3.2	Surface preparation	98
8.1.3.3	Application of adhesive	98
8.1.3.4	Fit-up	98
8.1.3.5	Curing	99
8.1.4	Storage of finished bonds	99
8.1.5	Health and safety	99
8.2	Manufacturing technology	99
8.2.1	Introduction	99
8.2.2	Dispensing of adhesives	100
8.2.3	Manual adhesive processing	101
8.2.3.1	Introduction	101
8.2.3.2	Prepare workbench	101
8.2.3.3	Weighing and mixing of the adhesive	101
8.2.3.4	Apply adhesive	101
8.2.3.5	Automatic mixing and dispensing systems	102
8.2.4	Mechanised adhesive processing	103
8.2.4.1	Basic setup of a mixing and dispensing unit	103
8.2.4.2	Pumps suitable for adhesive delivery	103
8.2.4.3	Valves	104
8.2.4.4	Mixer	105
8.2.4.5	Ancillary equipment	105
8.2.5	Cure of adhesive	105
8.3	Application example: Production procedures for aluminium superstructure	106
8.3.1	Casing design	106
8.3.1.1	Bonded joint design	106
8.3.2	Material information	108
8.3.3	Surface preparation	109
8.3.3.1	Steel surfaces	109
8.3.3.2	Aluminium surfaces	109
8.3.4	Bonding procedures	110
8.3.4.1	Selection of bonding procedure	110
8.3.4.2	Selection of adhesive	110
8.3.4.3	Procedure for "spacers" selection	111
8.3.4.4	Description of bonding equipment	111
8.3.4.5	"Due point"	112
8.3.4.6	Bonding operation	112
8.3.4.7	Final surface refinement	113
8.4	Application example: Production procedures for bonding of lashing devices	114
8.4.1	Lashing device in mock-up	114
8.4.2	Lashing device samples for laboratory testing	115



 TECHNICAL REPORT

8.5	List of references	116
9	REPAIR OF BONDED JOINTS	118
9.1	Repair procedures	118
9.2	Application example: repair of aluminium superstructure	118
9.2.1	Background	118
9.2.2	Damages	119
9.2.3	Repairs	120
9.3	List of references	125
10	NON-DESTRUCTIVE INSPECTION	126
10.1	Overview	126
10.2	Adhesive bonding and NDT	126
10.2.1	Definition of bonding parameters	126
10.2.2	Definition of defect parameters	127
10.2.3	Description of available test technologies	128
10.2.3.1	Acoustic methods	128
10.2.3.2	Radiography	128
10.2.3.3	Shearography	129
10.2.3.4	Thermography	129
10.2.3.5	Ultrasonics	129
10.2.3.6	Visual	130
10.3	Procedures, documentation, requirements and application	130
10.3.1	Procedures and documentation	130
10.3.2	Production and in-service requirements	131
10.3.3	NDT application areas for adhesive bond inspection	131
10.3.3.1	Design impacts	131
10.3.3.2	Mechanical testing, materials selection	131
10.3.3.3	Production	131
10.3.3.4	In-service	132
10.4	Ultrasonics – equipment and inspections	132
10.4.1	Ultrasound basics	132
10.4.2	Inspection types	134
10.4.2.1	Pulse echo	134
10.4.2.2	Through transmission	135
10.5	Application examples	135
10.5.1	WP 2: Acceptance and qualification of joints – task 2.2: Selection of materials	135
10.5.1.1	Adhesive and adherend characterisation	135
10.5.1.2	Adhesive joint simulations	137
10.5.1.3	Coupon testing	138
10.5.2	WP3: Application case 1 - task 3.4: Performance of joints and critical defects	139
10.5.2.1	University of Southampton – monitoring of joints	140
10.5.2.2	University of Southampton – monitoring of joint displacement	141



TECHNICAL REPORT

10.5.2.3	VT – test panel inspection	143
10.5.2.4	VT – mock-up inspection	146
10.5.2.5	VT – defect test sample inspection	149
10.5.3	WP4: Application case 6 – casing	151
10.5.4	WP5: Application cases at Meyer shipyard	153
10.5.4.1	AC1 – secondary load bearing wall structure	154
10.5.4.2	AC7 – gutter ways	156
10.5.4.3	AC9 – balcony structure	158
10.6	Conclusions	161
10.7	References	161
11	DEFINITIONS AND PROCEDURES	163
11.1	Test procedures	163
11.1.1	Measurement of pH value (IFAM test standard WP-AA-60)	164
11.1.2	Lap shear test - strength	165
11.1.2.1	Sika – flexible adhesives	165
11.1.2.2	CTA – rigid adhesives	165
11.1.3	Lap-shear test - strain to failure (IFAM test standard WP-AA-11)	167
11.1.4	Boeing wedge test (ASTM D 3762-98)	170
11.1.4.1	Principle of the method	170
11.1.4.2	Geometrical quantities recommended	170
11.1.4.3	Preparation of the specimens	171
11.1.4.4	Wedges:	171
11.1.4.5	Calculation of the wedge thickness :	171
11.1.4.6	Calculation of the length of the not bonded area :	172
11.1.5	Measurement of electrical resistance (Sika Test Procedure 316)	173
11.1.6	Bead test (Sika SQP033-0 and Sika SQP034-0)	177
11.2	Analytical analysis methods for joints	182
11.2.1	Parameters for single-lap joints	182
11.2.2	Analysis using nominal stresses and strains	183
11.2.3	Analyses of Volkersen and Goland – Reissner	185
11.2.4	Approach of Bigwood – Crocombe	187
11.2.5	Analysis of Wiedemann – pre-design, overlap length of joints	188
11.3	Numerical analysis methods – the finite element method	196
11.3.1	Linear finite element analysis	197
11.3.2	Non-linear finite element analysis	197
11.3.3	Finite element analysis for flexible adhesive joints	199
11.3.4	Finite element analysis for rigid adhesive joints	202
11.4	Non-destructive inspection	206
11.4.1	Glossary	206
11.4.2	Standards	207
11.4.2.1	General standards	207
11.4.2.2	Radiological methods	207
11.4.2.3	Ultrasonic methods	208
11.4.2.4	Visual inspection methods	208



TECHNICAL REPORT

11.4.3	Inspections and operators	208
11.4.4	List of equipment manufacturers	210
11.4.4.1	Acoustic methods	210
11.4.4.2	Radiography	210
11.4.4.3	Shearography	210
11.4.4.4	Thermography	210
11.4.4.5	Ultrasonics	210
11.4.4.6	Visual	211
11.4.5	NDT test procedure - rigid adhesive bondline measurement	212



Table of Figures	Page
Figure 1-1: Outline of the design and production process for bonded joints.....	2
Figure 2-1 Typical external casings in the upper deck of a cruise ship	6
Figure 5-1: Joining of sheet materials in tension; the higher the load rating, the stronger the joint (from [1]).....	25
Figure 5-2: Possible T-joints and efficiency of the joint concerning the specified loads. (from [1]).....	26
Figure 5-3: Possible corner joints and efficiency of the joint concerning the specified load (from [1]).....	27
Figure 5-4: Tubular joints for axial and torsional loading (from [1])	28
Figure 5-5: Stiffener attachment and load spreading (from [1])	28
Figure 5-6: Load flux and principle of similar structural strength.....	29
Figure 5-7: Principle of corresponding deformation.....	30
Figure 5-8: Symmetric loading reduces secondary load effects	30
Figure 5-9: Additional design features to avoid or reduce peel-stress (from [1]).....	30
Figure 5-10: An example for a self-reinforcing adhesive joint.....	31
Figure 5-11: Unstable design of an adhesive joint.....	32
Figure 5-12: Input window of the Microsoft Excel spreadsheet.....	34
Figure 5-13: Shear and peel stresses for a rigid adhesive single-lap joint with $k=0$ and $k=1$	35
Figure 5-14: Stress distributions for steel and aluminium with a rigid adhesive.....	36
Figure 5-15: Stress distributions for steel and aluminium with a flexible adhesive	36
Figure 5-16 General design procedure for adhesive joints	37
Figure 5-17: Linear-elastic numerical analysis for lap-shear test	42
Figure 5-18: Failure criteria from maximum shear and peel stress at the joint's ends	43
Figure 5-19: Procedure to determine a failure criterion and accuracy of numerical results	43
Figure 5-20: Attachments: Identification of hot spots	55
Figure 5-21: Case study of attachment below deck	60
Figure 5-22: Stress distribution at upper end of adhesive joint, $x = \text{const}$	61
Figure 5-23: Stress distribution along adhesive joint at $w/2$	61
Figure 6-1: Thick adherend shear test samples used for shear experiments.	64
Figure 6-2: Simple shear testing equipment.....	65
Figure 6-3: Sample geometry for simple shear test.....	66
Figure 6-4: Pure adhesive sample for tensile testing.....	68
Figure 6-5: Compression test sample	70
Figure 6-6: Form and dimensions of test specimen.	72
Figure 6-7: Bonded pillar sample prepared for testing (left) and sketch of test setup (right).....	74
Figure 6-8: Bonded joint between steel sandwich panels (left) and four-point bending test setup (right).....	75
Figure 6-9: Schematic of steel sandwich joint tested in tension.	75
Figure 7-1: Small-scale furnace at FiReCo. The picture shows a FRP/sandwich panel during test.....	85
Figure 7-2: Standard fire curves for furnace fire testing ("BS 476" curve is identical to ISO 834/IMO Res 754(18)).....	86



TECHNICAL REPORT

Figure 7-3: Aluminium casing bonded to steel deck.....	87
Figure 7-4: Test assembly on furnace, with load shear load applied (to the right).....	88
Figure 7-5: Fire test specimen with thermocouple positions indicated (TC#).....	88
Figure 7-6: Weld pins for fire insulation mounting	89
Figure 7-7: Insulation of specimen (right), and edge protection of specimen prior to fire test (left).	90
Figure 7-8: Sample just after joint failure. The adhesive failed near to the aluminium panel, but there were still plenty of adhesive left on both the aluminium and steel part.	91
Figure 7-9: Adhesive left on the aluminium part.....	91
Figure 7-10: Temperature readings during test of panel-I.	92
Figure 7-11: Temperature readings during test of panel-II.....	94
Figure 8-1 Dispensing of adhesive on surface: (a) extruded beads, (b) droplets, (c) spray; (from [3]).....	100
Figure 8-2 Commercial metering system (DOPAG).....	102
Figure 8-3 Handheld dispensing gun with disposable static mixer (DOPAG)	102
Figure 8-4 Automated application of adhesive to wind screens, [5].....	103
Figure 8-5 Variable ratio metering and mixing machine, [4]	104
Figure 8-6: Drawing of half aluminium casing ceiling	107
Figure 8-7: Bonded joint lay-out: 3D view	107
Figure 8-8: Bonded joint scantlings	108
Figure 8-9: Adhesive curing process without "booster"	111
Figure 8-10: one component adhesive pump with an add-on Kit for supplying, dosing and mixing Sika Booster-Paste to Sikaflex ® -254.....	112
Figure 8-11: Filling of the joint.....	113
Figure 8-12: Final surface refinement.....	113
Figure 8-13: Set-up bonding AC5 mock-up components	114
Figure 8-14: Set-up bonding AC5 IFAM components.....	115
Figure 9-1: Bonded joint configuration.....	118
Figure 9-2: Casing mock up - Outside View.....	118
Figure 9-3: Removing of the adhesive	119
Figure 9-4: Bonded line to be replaced	119
Figure 9-5: "Carbonisation" of a portion of bonded line	120
Figure 9-6: Bonded line before the repair	120
Figure 9-7: Filling of Sikaflex 292 Booster	121
Figure 9-8: stopper-band" at the middle of the joint	122
Figure 9-9: Filling of Sikaflex 292.....	122
Figure 9-10: Repairing of the joint with Sikaflex 292	123
Figure 9-11: Adhesive burning	123
Figure 9-12: Removing of the carbonised adhesive.....	124
Figure 9-13: Filling of Sikaflex 292.....	124
Figure 9-14: Superficially Repair of the joint with Sikaflex 292.....	124
Figure 10-1: Basic adhesive joint topology.....	127
Figure 10-2: Typical defect parameters and location in joint.	127
Figure 10-3: Principles of ultrasound wave propagation in liquids and solids.	132
Figure 10-4: Ultrasound propagation across interfaces.....	133
Figure 10-5: Conversion of electrical pulses into ultrasound pulses.	134



TECHNICAL REPORT

Figure 10-6: Pulse echo ultrasound inspection.	134
Figure 10-7: Through transmission ultrasound inspection.....	135
Figure 10-8: Test arrangement used for adhesive characterisation.....	136
Figure 10-9: Repeat compression and shear wave ultrasonic attenuation measurements for Araldite 420.	136
Figure 10-10: Comparison of compression wave attenuation data for rigid and flexible adhesive employed in the BONDSHIP materials selection process.	137
Figure 10-11: Joint simulations for a composite to aluminium bonded and disbanded joint.....	138
Figure 10-12: Measured data from an intact coupon and a delaminated bond which had suffered cohesive failure in the adhesive.	139
Figure 10-13: Pictures of Vosper Thornycroft application case.	139
Figure 10-14: VT test structure showing principal joints.	140
Figure 10-15: Ultrasonic C-scan of DBC sample after DBC test.	141
Figure 10-16: Instrumentation and test assembly using through transmission ultrasound to monitor joint.....	142
Figure 10-17: Through transmission compression wave data versus time during bend test.	142
Figure 10-18: Test sample sent for laser shearography testing showing primary test areas.....	143
Figure 10-19: LTI 5100 Laser shearography system.	143
Figure 10-20: Shearography image of upper section of centre inter panel joint.....	144
Figure 10-21: Shearography image of lower section of centre inter-panel joint.	145
Figure 10-22: Shearography image of lower left-hand corner panel.	145
Figure 10-23: Photograph of VT mock-up during inspection work.....	146
Figure 10-24: RapidScan large area ultrasound inspection system.....	147
Figure 10-25: RapidScan inspection of inter-module butt-strap joints.....	147
Figure 10-26: Repeat ultrasonic scans of butt-strap joint with diagram of scanned area.	148
Figure 10-27: Rippling of adhesive which could give rise to observed patchiness.	148
Figure 10-28: Large impact area, ultrasonic size (16 mm), visible size (10 mm)	149
Figure 10-29: Barely visible impact damage (BVID), ultrasonic size (8 mm), visible size (4 mm).....	149
Figure 10-30: Defect test sample containing a range of simulated defects.....	150
Figure 10-31: Location of defects in test sample.	150
Figure 10-32: Resultant ultrasonic C-scan of defect test sample.	150
Figure 10-33: Fincantieri AC6 - engineering drawings and photograph of test joint.	151
Figure 10-34: Photograph of measurement of aluminium interface and resultant test data.	152
Figure 10-35: Photograph of measurement of steel interface and resultant test data.	152
Figure 10-36: Photograph of measurement of bulk joint and typical test data.	153
Figure 10-37: Photograph of measurement of bulk adhesive and typical test data.....	153
Figure 10-38: Meyer Werft application 1, engineering drawings and photographs	154
Figure 10-39: Test grid for external wall lip.....	155
Figure 10-40: Typical bonded and disbanded data reading from flaw detector.	155
Figure 10-41: Colour map of bonded and disbanded regions.....	156
Figure 10-42: Meyer Werft application 7, engineering drawings and photographs	157



TECHNICAL REPORT

Figure 10-43: Testing of gutter way and close-up of flaw detector display	158
Figure 10-44: Adhesive bead width measurement showing extent of bonding on gutter way	158
Figure 10-45: Meyer Werft application 9, engineering drawings and photographs	159
Figure 10-46: Typical ultrasound data with automated thickness reading to assess adhesive bondline.....	160
Figure 10-47: Diagram showing measurement locations and recorded bondline thicknesses.....	160
Figure 11-1 Parameters to describe a single lap joint	183
Figure 11-2 Single-lap joints and bending moment factor.....	187
Figure 11-3 Adherend-adhesive sandwich with applied moments and forces.....	187
Figure 11-4 Possible configurations for joints described with the approach of Bigwood and Crocombe	188
Figure 11-5 τ_{\max}/σ_{10} as a function of the parameter ρ , $\delta = 1$	190
Figure 11-6 Ratio of shear stress distribution to the applied tensile stress according to Volkersen as a function of the overlap length.....	190
Figure 11-7: Minimum overlap length as a function of the thickness of the adherends, $d=0.3$ mm	191
Figure 11-8: Tensile stress in the adherends vs. thickness of the adherends, $d= 0.3$ mm.....	191
Figure 11-9: Shear stress distribution at $F = 12480$ N according to Volkersen.....	193
Figure 11-10: Shear stress distribution at $F = 12480$ N according to Bigwood and Crocombe	193
Figure 11-11: Shear stress and peel stress distribution at $F = 12480$ N according to Bigwood and Crocombe.....	194
Figure 11-12: Decreasing stress peaks at $s_1 > 0.8$ mm and $F=12480$ N.....	195
Figure 11-13: A lap shear sample for local analysis modelled with h-elements (2D)	197
Figure 11-14: A lap shear sample for local analysis modelled with p-elements (3D)	198
Figure 11-15: Nominal and true stress-strain of a flexible adhesive.....	200
Figure 11-16: Ogden potential strain energy function to describe hyperelastic, flexible adhesive Sikaflex 360 HC from first benchmark.....	201
Figure 11-17: Potential strain energy functions to describe hyperelastic, flexible adhesive Sikaflex 360 HC from first benchmark	202
Figure 11-18: True-stress true-strain behaviour of Vantico Araldite 420 at room-temperature.....	203
Figure 11-19: Description of the material model as input to the finite element code.....	204
Figure 11-20: Numerical simulation and experimental data of lap shear test.....	204
Figure 11-21: Von Mises equivalent stress	205



<i>Table of Tables</i>	<i>Page</i>
Table 2-1: Main characteristic features for defining requirements for a bonded joint	5
Table 2-2: Application example: specification of “external casing”	7
Table 3-1 Shear strength and glass transition temperature for rigid adhesives with metal adherends (* = only 72h post-cure; ** = not possible to measure Tg)	11
Table 3-2 Results from Boeing wedge test on rigid adhesives with metal adherends (see also section 3.5.2.3).....	13
Table 3-3 Summary of results for flexible adhesives; grey shading indicates that the adhesive is below the specified threshold value.....	14
Table 5-1: Typical mechanical constants for an epoxy adhesive and a rubber like, flexible adhesive.....	34
Table 5-2: Recommended analysis methods for rigid adhesive joints.....	47
Table 5-3: Knock-down factors for designing adhesive joints	54
Table 5-4: Experimental results of lap-shear-tests to determine failure criteria for rigid and semi-rigid adhesives and used surfaces / adherends.....	57
Table 5-5: Failure criteria for Vantico Araldite 420 (A) and Plexus MA 550 (P), see also previous table	58
Table 5-6: Comparison of failure criterion with numerical results of the case study	59
Table 7-1: Observations during first test run	90
Table 7-2: Observations during second test run.....	93
Table 8-1: Main characteristic features to work out a list of requirements.....	114
Table 8-2: Steps of production procedure AC5 Vantico Araldite 420 mock-up	115
Table 8-3: Bonding parameter AC5 IFAM test specimen	116
Table 8-4: Steps of production procedure AC5 Vantico Araldite 420 IFAM test specimen.....	116
Table 10-1: Guidance list of NDT techniques and capabilities.	130